

Recreation - PART 1.

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation. See text for further explanation of ratings in this table.)

Lee County, Iowa

Map symbol and soil name	Pct. of map unit	Camp areas		Picnic areas		Playgrounds	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
13B: Colo-----	60	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone Slope	1.00 0.50
Vesser-----	30	Very limited Depth to saturated zone Flooding	1.00 1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone Flooding Slope	1.00 0.60 0.50
23C: Arispe-----	90	Somewhat limited Restricted permeability	0.94	Somewhat limited Restricted permeability	0.94	Very limited Slope Restricted permeability	1.00 0.94
23C2: Arispe-----	90	Somewhat limited Restricted permeability	0.94	Somewhat limited Restricted permeability	0.94	Very limited Slope Restricted permeability	1.00 0.94
41: Sparta-----	90	Somewhat limited Too sandy	0.84	Somewhat limited Too sandy	0.84	Somewhat limited Too sandy	0.84
41B: Sparta-----	100	Somewhat limited Too sandy	0.84	Somewhat limited Too sandy	0.84	Somewhat limited Slope Too sandy	0.87 0.84
51: Vesser-----	95	Very limited Flooding Depth to saturated zone	1.00 0.39	Somewhat limited Depth to saturated zone	0.19	Somewhat limited Flooding Depth to saturated zone	0.60 0.39
56: Cantril-----	90	Not limited		Not limited		Not limited	
56B: Cantril-----	90	Not limited		Not limited		Somewhat limited	

FIELD OFFICE TECHNICAL GUIDE Sec. II
RECREATION INTERPRETATIONS

Recreation - PART 1.

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation. See text for further explanation of ratings in this table.)

Lee County, Iowa

Map symbol and soil name	Pct. of map unit	Camp areas		Picnic areas		Playgrounds	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
						Slope	0.50
57: Rushville-----	100	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00
		Restricted permeability	1.00	Restricted permeability	1.00	Restricted permeability	1.00
58D2: Douds-----	100	Somewhat limited Slope	0.63	Somewhat limited Slope	0.63	Very limited Slope	1.00
58E2: Douds-----	100	Very limited Slope	1.00	Very limited Slope	1.00	Very limited Slope	1.00
63: Chelsea-----	90	Somewhat limited Too sandy	0.95	Somewhat limited Too sandy	0.95	Somewhat limited Too sandy	0.95
63B: Chelsea-----	100	Somewhat limited Too sandy	0.95	Somewhat limited Too sandy	0.95	Somewhat limited Too sandy Slope	0.95 0.87
65E2: Lindley-----	100	Very limited Slope Restricted permeability	1.00 0.15	Very limited Slope Restricted permeability	1.00 0.15	Very limited Slope Restricted permeability	1.00 0.15
65E3: Lindley-----	100	Very limited Slope Restricted permeability	1.00 0.15	Very limited Slope Restricted permeability	1.00 0.15	Very limited Slope Restricted permeability	1.00 0.15
65F2: Lindley-----	100	Very limited Slope Restricted permeability	1.00 0.15	Very limited Slope Restricted permeability	1.00 0.15	Very limited Slope Restricted permeability	1.00 0.15
65G: Lindley-----	95	Very limited Slope	1.00	Very limited Slope	1.00	Very limited Slope	1.00

FIELD OFFICE TECHNICAL GUIDE Sec. II
RECREATION INTERPRETATIONS

Recreation - PART 1.

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation. See text for further explanation of ratings in this table.)

Lee County, Iowa

Map symbol and soil name	Pct. of map unit	Camp areas		Picnic areas		Playgrounds	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
75: Givin-----	95	Restricted permeability	0.15	Restricted permeability	0.15	Restricted permeability	0.15
		Somewhat limited Restricted permeability	0.15	Somewhat limited Restricted permeability	0.15	Somewhat limited Restricted permeability Slope	0.15 0.01
80B: Clinton-----	100	Somewhat limited Restricted permeability	0.15	Somewhat limited Restricted permeability	0.15	Somewhat limited Slope Restricted permeability	0.50 0.15
80C2: Clinton-----	95	Somewhat limited Restricted permeability	0.15	Somewhat limited Restricted permeability	0.15	Very limited Slope Restricted permeability	1.00 0.15
80D2: Clinton-----	95	Somewhat limited Slope Restricted permeability	0.63 0.15	Somewhat limited Slope Restricted permeability	0.63 0.15	Very limited Slope Restricted permeability	1.00 0.15
81B: Clinton-----	100	Somewhat limited Restricted permeability	0.15	Somewhat limited Restricted permeability	0.15	Somewhat limited Slope Restricted permeability	0.50 0.15
81C2: Clinton-----	100	Somewhat limited Restricted permeability	0.15	Somewhat limited Restricted permeability	0.15	Very limited Slope Restricted permeability	1.00 0.15
115D: Chelsea-----	90	Somewhat limited Slope Too sandy	0.96 0.95	Somewhat limited Slope Too sandy	0.96 0.95	Very limited Slope Too sandy	1.00 0.95

FIELD OFFICE TECHNICAL GUIDE Sec. II
RECREATION INTERPRETATIONS

Recreation - PART 1.

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation. See text for further explanation of ratings in this table.)

Lee County, Iowa

Map symbol and soil name	Pct. of map unit	Camp areas		Picnic areas		Playgrounds	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
130: Belinda-----	100	Very limited Depth to saturated zone Restricted permeability	1.00 1.00	Very limited Depth to saturated zone Restricted permeability	1.00 1.00	Very limited Depth to saturated zone Restricted permeability	1.00 1.00
131B: Pershing-----	100	Somewhat limited Restricted permeability	0.94	Somewhat limited Restricted permeability	0.94	Somewhat limited Restricted permeability Slope	0.94 0.50
131C2: Pershing-----	100	Somewhat limited Restricted permeability	0.94	Somewhat limited Restricted permeability	0.94	Very limited Slope Restricted permeability	1.00 0.94
132B: Weller-----	90	Somewhat limited Restricted permeability	0.94	Somewhat limited Restricted permeability	0.94	Somewhat limited Restricted permeability Slope	0.94 0.50
132C2: Weller-----	95	Somewhat limited Restricted permeability	0.94	Somewhat limited Restricted permeability	0.94	Very limited Slope Restricted permeability	1.00 0.94
132D2: Weller-----	100	Somewhat limited Restricted permeability Slope	0.94 0.63	Somewhat limited Restricted permeability Slope	0.94 0.63	Very limited Slope Restricted permeability	1.00 0.94
133: Colo-----	90	Very limited Depth to saturated zone Flooding	1.00 1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone Flooding	1.00 0.60
140: Sparta-----	95	Somewhat limited		Somewhat limited		Somewhat limited	

FIELD OFFICE TECHNICAL GUIDE Sec. II
RECREATION INTERPRETATIONS

Recreation - PART 1.

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation. See text for further explanation of ratings in this table.)

Lee County, Iowa

Map symbol and soil name	Pct. of map unit	Camp areas		Picnic areas		Playgrounds	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
		Too sandy	0.84	Too sandy	0.84	Too sandy	0.84
152: Marshan-----	100	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00
154G: Douds-----	90	Very limited Slope	1.00	Very limited Slope	1.00	Very limited Slope	1.00
162B: Downs-----	100	Not limited		Not limited		Somewhat limited Slope	0.13
163B: Fayette-----	90	Not limited		Not limited		Somewhat limited Slope	0.50
163C2: Fayette-----	100	Not limited		Not limited		Very limited Slope	1.00
172: Wabash-----	100	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00
		Flooding	1.00	Restricted permeability	1.00	Flooding	1.00
		Restricted permeability	1.00	Too clayey	1.00	Restricted permeability	1.00
		Too clayey	1.00	Flooding	0.40	Too clayey	1.00
173: Hoopeston-----	85	Somewhat limited Depth to saturated zone	0.39	Somewhat limited Depth to saturated zone	0.19	Somewhat limited Depth to saturated zone	0.39
175: Dickinson-----	90	Not limited		Not limited		Not limited	
175B: Dickinson-----	95	Not limited		Not limited		Somewhat limited Slope	0.50
177: Saude-----	90	Not limited		Not limited		Not limited	

FIELD OFFICE TECHNICAL GUIDE Sec. II
RECREATION INTERPRETATIONS

Recreation - PART 1.

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation. See text for further explanation of ratings in this table.)

Lee County, Iowa

Map symbol and soil name	Pct. of map unit	Camp areas		Picnic areas		Playgrounds	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
179C: Gara-----	95	Somewhat limited Restricted permeability Slope	0.15 0.01	Somewhat limited Restricted permeability Slope	0.15 0.01	Very limited Slope Restricted permeability	1.00 0.15
180: Keomah-----	95	Somewhat limited Restricted permeability	0.60	Somewhat limited Restricted permeability	0.60	Somewhat limited Restricted permeability	0.60
180B: Keomah-----	95	Somewhat limited Restricted permeability	0.60	Somewhat limited Restricted permeability	0.60	Somewhat limited Restricted permeability Slope	0.60 0.50
208: Landes-----	90	Very limited Flooding	1.00	Not limited		Somewhat limited Flooding	0.60
211: Edina-----	100	Very limited Depth to saturated zone Restricted permeability	1.00 1.00	Very limited Depth to saturated zone Restricted permeability	1.00 1.00	Very limited Depth to saturated zone Restricted permeability	1.00 1.00
220: Nodaway-----	90	Very limited Flooding	1.00	Not limited		Somewhat limited Flooding	0.60
222C: Clarinda-----	95	Very limited Restricted permeability Depth to saturated zone	1.00 0.39	Very limited Restricted permeability Depth to saturated zone	1.00 0.19	Very limited Restricted permeability Slope Depth to saturated zone	1.00 1.00 0.39
222C2: Clarinda-----	95	Somewhat limited Restricted permeability Depth to saturated zone	0.60 0.39	Somewhat limited Restricted permeability Depth to saturated zone	0.60 0.19	Very limited Slope Restricted permeability	1.00 0.60

FIELD OFFICE TECHNICAL GUIDE Sec. II
RECREATION INTERPRETATIONS

Recreation - PART 1.

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation. See text for further explanation of ratings in this table.)

Lee County, Iowa

Map symbol and soil name	Pct. of map unit	Camp areas		Picnic areas		Playgrounds	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
						Depth to saturated zone	0.39
223C: Rinda-----	100	Somewhat limited Depth to saturated zone	0.39	Somewhat limited Depth to saturated zone	0.19	Very limited Slope	1.00
		Restricted permeability	0.15	Restricted permeability	0.15	Depth to saturated zone	0.39
						Restricted permeability	0.15
223D2: Rinda-----	100	Somewhat limited Slope	0.63	Somewhat limited Slope	0.63	Very limited Slope	1.00
		Depth to saturated zone	0.39	Depth to saturated zone	0.19	Depth to saturated zone	0.39
		Restricted permeability	0.15	Restricted permeability	0.15	Restricted permeability	0.15
226: Lawler-----	90	Not limited		Not limited		Not limited	
260: Beckwith-----	100	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00
		Restricted permeability	1.00	Restricted permeability	1.00	Restricted permeability	1.00
263: Okaw-----	100	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00
		Flooding	1.00	Restricted permeability	1.00	Restricted permeability	1.00
		Restricted permeability	1.00			Flooding	0.60
						Slope	0.01
291: Atterberry-----	90	Somewhat limited Depth to saturated zone	0.39	Somewhat limited Depth to saturated zone	0.19	Somewhat limited Depth to saturated zone	0.39
315: Alluvial Land-----	90	Not rated		Not rated		Not rated	

FIELD OFFICE TECHNICAL GUIDE Sec. II
RECREATION INTERPRETATIONS

Recreation - PART 1.

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation. See text for further explanation of ratings in this table.)

Lee County, Iowa

Map symbol and soil name	Pct. of map unit	Camp areas		Picnic areas		Playgrounds	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
354: Marsh-----	90	Not rated		Not rated		Not rated	
362: Haig-----	100	Very limited Depth to saturated zone Restricted permeability	1.00 0.94	Very limited Depth to saturated zone Restricted permeability	1.00 0.94	Very limited Depth to saturated zone Restricted permeability	1.00 0.94
363: Haig-----	95	Very limited Depth to saturated zone Restricted permeability	1.00 0.94	Very limited Depth to saturated zone Restricted permeability	1.00 0.94	Very limited Depth to saturated zone Restricted permeability	1.00 0.94
364: Grundy-----	95	Somewhat limited Restricted permeability Depth to saturated zone	0.94 0.07	Somewhat limited Restricted permeability Depth to saturated zone	0.94 0.03	Somewhat limited Restricted permeability Depth to saturated zone	0.94 0.07
364B: Grundy-----	95	Somewhat limited Restricted permeability Depth to saturated zone	0.94 0.07	Somewhat limited Restricted permeability Depth to saturated zone	0.94 0.03	Somewhat limited Restricted permeability Slope Depth to saturated zone	0.94 0.50 0.07
380: Mahaska-----	85	Not limited		Not limited		Somewhat limited Slope	0.01
424D2: Lindley-----	60	Somewhat limited Slope	0.63	Somewhat limited Slope	0.63	Very limited Slope	1.00

FIELD OFFICE TECHNICAL GUIDE Sec. II
RECREATION INTERPRETATIONS

Recreation - PART 1.

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation. See text for further explanation of ratings in this table.)

Lee County, Iowa

Map symbol and soil name	Pct. of map unit	Camp areas		Picnic areas		Playgrounds	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
Keswick-----	30	Restricted permeability	0.15	Restricted permeability	0.15	Restricted permeability	0.15
		Somewhat limited Restricted permeability	0.94	Somewhat limited Restricted permeability	0.94	Very limited Slope	1.00
		Slope	0.63	Slope	0.63	Restricted permeability	0.94
		Depth to saturated zone	0.39	Depth to saturated zone	0.19	Depth to saturated zone	0.39
424D3: Lindley-----	60	Somewhat limited Slope	0.63	Somewhat limited Slope	0.63	Very limited Slope	1.00
		Restricted permeability	0.15	Restricted permeability	0.15	Restricted permeability	0.15
		Somewhat limited Restricted permeability	0.94	Somewhat limited Restricted permeability	0.94	Very limited Slope	1.00
Keswick-----	30	Slope	0.63	Slope	0.63	Restricted permeability	0.94
		Depth to saturated zone	0.39	Depth to saturated zone	0.19	Depth to saturated zone	0.39
		Somewhat limited Restricted permeability	0.94	Somewhat limited Restricted permeability	0.94	Very limited Slope	1.00
		Slope	0.63	Slope	0.63	Restricted permeability	0.94
425C2: Keswick-----	95	Depth to saturated zone	0.39	Depth to saturated zone	0.19	Depth to saturated zone	0.39
		Somewhat limited Restricted permeability	0.94	Somewhat limited Restricted permeability	0.94	Very limited Slope	1.00
		Depth to saturated zone	0.39	Depth to saturated zone	0.19	Restricted permeability	0.94
		Somewhat limited Restricted permeability	0.94	Somewhat limited Restricted permeability	0.94	Depth to saturated zone	0.39
425D2: Keswick-----	95	Somewhat limited Restricted permeability	0.94	Somewhat limited Restricted permeability	0.94	Very limited Slope	1.00
		Slope	0.63	Slope	0.63	Restricted permeability	0.94
		Depth to saturated zone	0.39	Depth to saturated zone	0.19	Depth to saturated zone	0.39
		Somewhat limited Restricted permeability	0.94	Somewhat limited Restricted permeability	0.94	Very limited Slope	1.00
425D3: Keswick-----	100	Slope	0.63	Slope	0.63	Restricted permeability	0.94
		Depth to saturated zone	0.39	Depth to saturated zone	0.19	Depth to saturated zone	0.39
		Somewhat limited Restricted permeability	0.94	Somewhat limited Restricted permeability	0.94	Very limited Slope	1.00

FIELD OFFICE TECHNICAL GUIDE Sec. II
RECREATION INTERPRETATIONS

Recreation - PART 1.

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation. See text for further explanation of ratings in this table.)

Lee County, Iowa

Map symbol and soil name	Pct. of map unit	Camp areas		Picnic areas		Playgrounds	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
452C2: Lineville-----	100	Slope	0.63	Slope	0.63	Restricted permeability	0.94
		Depth to saturated zone	0.39	Depth to saturated zone	0.19	Depth to saturated zone	0.39
		Somewhat limited Restricted permeability	0.94	Somewhat limited Restricted permeability	0.94	Very limited Slope	1.00
		Depth to saturated zone	0.39	Depth to saturated zone	0.19	Restricted permeability	0.94
						Depth to saturated zone	0.39
453: Tuskeego-----	95	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00
		Restricted permeability	1.00	Restricted permeability	1.00	Restricted permeability	1.00
478G: Nordness-----	60	Very limited Slope	1.00	Very limited Slope	1.00	Very limited Slope	1.00
		Depth to bedrock	1.00	Depth to bedrock	1.00	Depth to bedrock	1.00
		Restricted permeability	0.94	Restricted permeability	0.94	Restricted permeability	0.94
Rock Outcrop-----	30	Not rated		Not rated		Not rated	
484: Lawson-----	95	Very limited Flooding	1.00	Somewhat limited Depth to saturated zone	0.19	Somewhat limited Flooding	0.60
		Depth to saturated zone	0.39			Depth to saturated zone	0.39
485: Spillville-----	90	Very limited Flooding	1.00	Somewhat limited Flooding	0.40	Very limited Flooding	1.00
499D2: Nordness-----	100	Very limited Depth to bedrock	1.00	Very limited Depth to bedrock	1.00	Very limited Slope	1.00
		Slope	0.96	Slope	0.96	Depth to bedrock	1.00

FIELD OFFICE TECHNICAL GUIDE Sec. II
RECREATION INTERPRETATIONS

Recreation - PART 1.

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation. See text for further explanation of ratings in this table.)

Lee County, Iowa

Map symbol and soil name	Pct. of map unit	Camp areas		Picnic areas		Playgrounds	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
499F: Nordness-----	85	Restricted permeability	0.94	Restricted permeability	0.94	Restricted permeability	0.94
		Very limited Slope	1.00	Very limited Slope	1.00	Very limited Slope	1.00
		Depth to bedrock	1.00	Depth to bedrock	1.00	Depth to bedrock	1.00
		Restricted permeability	0.94	Restricted permeability	0.94	Restricted permeability	0.94
520: Coppock-----	95	Very limited Flooding	1.00	Somewhat limited Flooding	0.40	Very limited Flooding	1.00
		Depth to saturated zone	0.39	Depth to saturated zone	0.19	Depth to saturated zone	0.39
587: Chequest-----	90	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00
		Flooding	1.00	Flooding	0.40	Flooding	1.00
		Restricted permeability	0.15	Restricted permeability	0.15	Restricted permeability	0.15
594C2: Galland-----	100	Somewhat limited Restricted permeability	0.94	Somewhat limited Restricted permeability	0.94	Very limited Slope	1.00
						Restricted permeability	0.94
594D2: Galland-----	100	Somewhat limited Restricted permeability	0.94	Somewhat limited Restricted permeability	0.94	Very limited Slope	1.00
		Slope	0.63	Slope	0.63	Restricted permeability	0.94
594D3: Galland-----	100	Somewhat limited Restricted permeability	0.94	Somewhat limited Restricted permeability	0.94	Very limited Slope	1.00
		Slope	0.63	Slope	0.63	Restricted permeability	0.94
594E2: Galland-----	100	Very limited Slope	1.00	Very limited Slope	1.00	Very limited Slope	1.00

FIELD OFFICE TECHNICAL GUIDE Sec. II
RECREATION INTERPRETATIONS

Recreation - PART 1.

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation. See text for further explanation of ratings in this table.)

Lee County, Iowa

Map symbol and soil name	Pct. of map unit	Camp areas		Picnic areas		Playgrounds	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
		Restricted permeability	0.94	Restricted permeability	0.94	Restricted permeability	0.94
687: Watkins-----	100	Not limited		Not limited		Somewhat limited Slope	0.01
688: Koszta-----	90	Not limited		Not limited		Not limited	
720: Raccoon-----	85	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00
		Flooding	1.00	Restricted permeability	0.94	Restricted permeability	0.94
		Restricted permeability	0.94			Flooding	0.60
730B: Nodaway-----	60	Very limited Flooding	1.00	Not limited		Somewhat limited Flooding Slope	0.60 0.01
Cantril-----	30	Not limited		Not limited		Somewhat limited Slope	0.50
763D2: Fayette-----	40	Somewhat limited Slope	0.63	Somewhat limited Slope	0.63	Very limited Slope	1.00
Exette-----	30	Somewhat limited Slope	0.63	Somewhat limited Slope	0.63	Very limited Slope	1.00
792C2: Armstrong-----	95	Somewhat limited Restricted permeability	0.94	Somewhat limited Restricted permeability	0.94	Very limited Slope	1.00
		Depth to saturated zone	0.39	Depth to saturated zone	0.19	Restricted permeability	0.94
						Depth to saturated zone	0.39
						Gravel content	0.04
792D2: Armstrong-----	100	Somewhat limited Restricted permeability	0.94	Somewhat limited Restricted permeability	0.94	Very limited Slope	1.00

FIELD OFFICE TECHNICAL GUIDE Sec. II
RECREATION INTERPRETATIONS

Recreation - PART 1.

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation. See text for further explanation of ratings in this table.)

Lee County, Iowa

Map symbol and soil name	Pct. of map unit	Camp areas		Picnic areas		Playgrounds	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
		Slope	0.63	Slope	0.63	Restricted permeability	0.94
		Depth to saturated zone	0.39	Depth to saturated zone	0.19	Depth to saturated zone	0.39
						Gravel content	0.04
793: Bertrand-----	100	Not limited		Not limited		Not limited	
793B: Bertrand-----	100	Not limited		Not limited		Somewhat limited Slope	0.50
793C2: Bertrand-----	100	Not limited		Not limited		Very limited Slope	1.00
795C2: Ashgrove-----	100	Very limited Restricted permeability	1.00	Very limited Restricted permeability	1.00	Very limited Restricted permeability	1.00
		Depth to saturated zone	0.39	Depth to saturated zone	0.19	Slope	1.00
						Depth to saturated zone	0.39
795C3: Ashgrove-----	100	Very limited Restricted permeability	1.00	Very limited Restricted permeability	1.00	Very limited Restricted permeability	1.00
		Depth to saturated zone	0.39	Depth to saturated zone	0.19	Slope	1.00
						Depth to saturated zone	0.39
795D2: Ashgrove-----	100	Very limited Restricted permeability	1.00	Very limited Restricted permeability	1.00	Very limited Slope	1.00
		Slope	0.63	Slope	0.63	Restricted permeability	1.00
		Depth to saturated zone	0.39	Depth to saturated zone	0.19	Depth to saturated zone	0.39
795D3: Ashgrove-----	100	Very limited Restricted permeability	1.00	Very limited Restricted permeability	1.00	Very limited Slope	1.00

FIELD OFFICE TECHNICAL GUIDE Sec. II
RECREATION INTERPRETATIONS

Recreation - PART 1.

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation. See text for further explanation of ratings in this table.)

Lee County, Iowa

Map symbol and soil name	Pct. of map unit	Camp areas		Picnic areas		Playgrounds	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
820: Dockery-----	90	Slope	0.63	Slope	0.63	Restricted permeability	1.00
		Depth to saturated zone	0.39	Depth to saturated zone	0.19	Depth to saturated zone	0.39
		Very limited Flooding	1.00	Not limited		Somewhat limited Flooding	0.60
832B: Weller-----	100	Somewhat limited Restricted permeability	0.94	Somewhat limited Restricted permeability	0.94	Somewhat limited Restricted permeability	0.94
						Slope	0.50
832C2: Weller-----	100	Somewhat limited Restricted permeability	0.94	Somewhat limited Restricted permeability	0.94	Very limited Slope	1.00
						Restricted permeability	0.94
880B: Clinton-----	100	Somewhat limited Restricted permeability	0.15	Somewhat limited Restricted permeability	0.15	Somewhat limited Slope	0.50
						Restricted permeability	0.15
880C2: Clinton-----	100	Somewhat limited Restricted permeability	0.15	Somewhat limited Restricted permeability	0.15	Very limited Slope	1.00
						Restricted permeability	0.15
950: Niota-----	95	Very limited Restricted permeability	1.00	Very limited Restricted permeability	1.00	Very limited Restricted permeability	1.00
		Depth to saturated zone	0.39	Depth to saturated zone	0.19	Depth to saturated zone	0.39
950B: Niota-----	100	Very limited Restricted permeability	1.00	Very limited Restricted permeability	1.00	Very limited Restricted permeability	1.00

FIELD OFFICE TECHNICAL GUIDE Sec. II
RECREATION INTERPRETATIONS

Recreation - PART 1.

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation. See text for further explanation of ratings in this table.)

Lee County, Iowa

Map symbol and soil name	Pct. of map unit	Camp areas		Picnic areas		Playgrounds	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
950D2: Niota-----	100	Depth to saturated zone	0.39	Depth to saturated zone	0.19	Slope	0.50
						Depth to saturated zone	0.39
		Very limited Restricted permeability	1.00	Very limited Restricted permeability	1.00	Very limited Slope	1.00
		Depth to saturated zone	0.39	Slope	0.37	Restricted permeability	1.00
		Slope	0.37	Depth to saturated zone	0.19	Depth to saturated zone	0.39
952: Denrock Variant----	100	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00
		Restricted permeability	1.00	Restricted permeability	1.00	Restricted permeability	1.00
977: Richwood-----	100	Not limited		Not limited		Not limited	
978: Festina-----	90	Not limited		Not limited		Somewhat limited Slope	0.01
993D2: Armstrong-----	60	Somewhat limited		Somewhat limited		Very limited	
		Restricted permeability	0.94	Restricted permeability	0.94	Slope	1.00
		Slope	0.63	Slope	0.63	Restricted permeability	0.94
		Depth to saturated zone	0.39	Depth to saturated zone	0.19	Depth to saturated zone	0.39
						Gravel content	0.04
Gara-----	40	Somewhat limited		Somewhat limited		Very limited	
		Slope	0.63	Slope	0.63	Slope	1.00
		Restricted permeability	0.15	Restricted permeability	0.15	Restricted permeability	0.15
1057: Rushville-----	95	Very limited		Very limited		Very limited	
		Depth to saturated zone	1.00	Depth to saturated zone	1.00	Depth to saturated zone	1.00

FIELD OFFICE TECHNICAL GUIDE Sec. II
RECREATION INTERPRETATIONS

Recreation - PART 1.

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation. See text for further explanation of ratings in this table.)

Lee County, Iowa

Map symbol and soil name	Pct. of map unit	Camp areas		Picnic areas		Playgrounds	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
		Restricted permeability	1.00	Restricted permeability	1.00	Restricted permeability	1.00
1130: Belinda-----	95	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00
		Restricted permeability	1.00	Restricted permeability	1.00	Restricted permeability	1.00
1131B: Pershing-----	100	Somewhat limited Restricted permeability	0.94	Somewhat limited Restricted permeability	0.94	Somewhat limited Restricted permeability Slope	0.94 0.50
1180: Keomah-----	95	Somewhat limited Restricted permeability	0.60	Somewhat limited Restricted permeability	0.60	Somewhat limited Restricted permeability	0.60
1180B: Keomah-----	95	Somewhat limited Restricted permeability	0.60	Somewhat limited Restricted permeability	0.60	Somewhat limited Restricted permeability Slope	0.60 0.50
1181: Keomah-----	95	Somewhat limited Restricted permeability	0.60	Somewhat limited Restricted permeability	0.60	Somewhat limited Restricted permeability Slope	0.60 0.01
1220: Nodaway-----	90	Very limited Flooding	1.00	Somewhat limited Flooding	0.40	Very limited Flooding	1.00
1260: Beckwith-----	100	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00
		Restricted permeability	1.00	Restricted permeability	1.00	Restricted permeability	1.00
1316: Alluvial Land-----	90	Not rated		Not rated		Not rated	

FIELD OFFICE TECHNICAL GUIDE Sec. II
RECREATION INTERPRETATIONS

Recreation - PART 1.

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation. See text for further explanation of ratings in this table.)

Lee County, Iowa

Map symbol and soil name	Pct. of map unit	Camp areas		Picnic areas		Playgrounds	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
Qu.: Quarries-----	100	Not rated		Not rated		Not rated	